

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 199960042 B2
(10) Patent No. 779836

(54) Title
Device and method for recording, reproducing and processing data

(51)⁷ International Patent Classification(s)
G11B 020/10

(21) Application No: 199960042

(22) Application Date: 1999.10.07

(87) WIPO No: WO00/21087

(30) Priority Data

(31) Number	(32) Date	(33) Country
10-286177	1998.10.08	JP
10-297159	1998.10.19	JP
10-297142	1998.10.19	JP

(43) Publication Date : 2000.04.26

(43) Publication Journal Date : 2000.06.15

(44) Accepted Journal Date : 2005.02.10

(71) Applicant(s)
Matsushita Electric Industrial Co., Ltd.

(72) Inventor(s)
Kenji Tagawa; Masataka Minami; Masayuki Kozuka; Shoichi Aoyama;
Katsumi Tokuda; Noboru Hirata

(74) Agent/Attorney
Griffith Hack,GPO Box 1285K,MELBOURNE VIC 3001


(56) Related Art
EP 798892
ARTICLE: MARC A.KAPLAN: "IBM CRYPTOLOPES". SUPER DIST. DIGIT
RIGHTS MANG. "WORKING PAPER V.1.3.0.30/12/96, PP 1-7



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G11B 20/10		A2	(11) International Publication Number: WO 00/21087
(21) International Application Number: PCT/JP99/05516		(43) International Publication Date: 13 April 2000 (13.04.00)	
(22) International Filing Date: 7 October 1999 (07.10.99)		(74) Agent: NAKAJIMA, Shiro, 6F, Yodogawa 5-Bankan, 2-1, Toyosaki 3-chome, Kita-ku, Osaka-shi, Osaka 531-0072 (JP).	
(30) Priority Data: 10/286177 8 October 1998 (08.10.98) JP 10/297159 19 October 1998 (19.10.98) JP 10/297142 19 October 1998 (19.10.98) JP		(81) Designated States: AU, CN, ID, KR, MX, VN, European patent (DE, FR, GB, NL).	
(71) Applicant: MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD. [JP/JP]; 1006, OazaKadoma, Kadoma-shi, Osaka 571-8501 (JP).		Published <i>Without international search report and to be republished upon receipt of that report.</i>	
(72) Inventors: TAGAWA, Kenji; 5-305, Myoukenzaka 5-chome, Katano-shi, Osaka 576-0021 (JP). MINAMI, Masataka; 2349-1, Kuruma, Higashiracho, Tsuna-gun, Hyogo 656-2311 (JP). KOZUKA, Masayuki; 19-1-1207, Ishizuminamimachi, Neyagawa-shi, Osaka 572-0024 (JP). AOYAMA, Shoichi; 24-301, Higashiyama 2-chome, Hirakata-shi, Osaka 573-1114 (JP). TOKUDA, Katsumi; 5-15, Niina, Mino-shi, Osaka 562-0005 (JP). HIRATA, Noboru; 2-1-16-505, Mukaida, Katano-shi, Osaka 576-0065 (JP).			

(54) Title: DEVICE AND METHOD FOR RECORDING, REPRODUCING AND PROCESSING DATA



(57) Abstract

A recording medium stores a retail content and a superdistribution content that is encrypted according to a block cryptosystem. A superdistribution header is attached to the superdistribution content and encrypted according to a public key cryptosystem. The superdistribution header contains a decryption key used to decrypt the block cryptosystem. The public key cryptosystem is characterized by using a device connected to a communication network for decryption. The decryption is performed when the recording medium is loaded into the device with a fee being charged via the communication network.

DESCRIPTION

Title of Invention

DEVICE AND METHOD FOR RECORDING, REPRODUCING AND PROCESSING DATA

5

Technical Field

10 The present invention relates to a recording medium that stores a content (a digital production with copyright) such as music, a device that records a content onto a recording medium, a device that plays a content recorded on a recording medium, a device that produces a package by
15 packaging a plurality of contents, a computer-readable recording medium, a recording method, a playback method, and a packaging method.

Background Art20 First Background Technology

 Recently, a great deal of discussion has taken place between major music companies, audio device manufacturers, and intellectuals about a next-generation format for
 distributing copyrighted music. At present, all forms of
25 music, whether pop, rock, or classical, are sold having been recorded on a recording medium such as a CD (Compact Disc)

or a magnetic tape. This method whereby consumers obtain recorded music by buying a recording medium is commonplace throughout the world.

Much attention is currently being focused on electronic music distribution as an alternative to conventional forms of distribution that use a recording medium. Electronic music distribution refers to the fee-based delivery of a music "content" via the ever-expanding Internet. Here, a "content" refers to a copyrighted production in a digital form, so that a "music content" is music in a digital form. One characteristic of this electronic music distribution is that music contents can be ordered and paid for using electronic commerce. In detail, music companies can introduce a variety of music contents on their home pages, so that consumers can browse a variety of music contents by accessing the home pages of the music companies. On finding a desired music content, the consumer sends the necessary information, such as an order for the music content and a user ID, to a music company that runs the home page, and the music company charges the consumer for the music content via a bank account corresponding to a credit card number that the user has registered in advance. After the consumer has been charged, the consumer downloads the music content into his computer. In this way, a consumer can obtain a desired music content.

Electronic music distribution allows the consumer to interactively select the music contents to be downloaded.

This greatly facilitates the procedure by which consumers buy music and so can increase the sales of record companies. As one example, a record company can use a home page that introduces a popular new release to promote other related releases by the same artist and/or the same songwriter. Since there is a high probability of the consumer also being interested in these other releases, there is a good chance that the consumer will make further purchases.

At present, however, the required infrastructure for electronic music distribution has not been fully implemented, so that consumers face various difficulties in buying music electronically.

One fundamental requirement for the electronic distribution of music contents is the provision of high-speed communication lines that can transfer the several megabytes of data in a music content in a short time. At present, most users access the Internet via public networks whose transfer rate is totally insufficient for this purpose. This means that downloading a number of music contents via a public network takes a long time. When doing so, the consumer will incur a large communication cost that may even exceed the cost of the music contents. This naturally discourages consumers from purchasing music electronically, as does the long time the consumer has to wait. This can lead to consumers canceling a purchase while a content is still being downloaded.

As with electronic music retailing, conventional

retail methods using a recording medium can promote releases related to a given product. This is traditionally done by printing promotional material and sales information for other releases on the jacket of a given product. If this promotional material succeeds in raising the interest of the consumer, the consumer may go on to purchase a separate recording medium that includes the related release by calling in at a record store.

The retail price of music media is determined by various costs related to the manufacture and distribution of the media. This means that a consumer who purchases a recording media storing a new release and a recording medium storing related music has to pay for the relatively high costs of the manufacture and distribution of two recording medium. As stated above, consumers have to call in at a record store to buy the related releases. Since consumers who are interested in related releases cannot buy them instantaneously, there is the danger for record companies that such consumers will no longer want the releases by the time they go to the record store.

Second Background Technology

As described above, music can be distributed in a variety of ways that include recording onto media and transmission via communication lines such as the Internet.

Various recording media, such as DVD-Audio (Digital

Versatile Disc - Audio) discs and CDs, can be used to record music. In general, music recorded on different media is encoded in a different way. Music contents are also often distributed using a broadcast wave via a satellite, a CATV (community antenna television) cable, or the like. Such services are generally fee-based but in some cases music can be provided free of charge for promotional purposes.

However, when distributing the same music using different methods, the music has to be encoded in a number of ways to produce a suitable music content for each distribution method for the following reason. Great differences regarding the provision (or lack) of copyright protection systems, the security of encryption keys, and playback performance exist among old and new playback devices, so that the generation and distribution of a single music content to every kind of playback device would prevent certain playback devices from using their copyright protection systems or making the most of their playback performance.

If a music content is distributed to certain playback devices equipped with copyright protection systems, it may appear wise to encrypt all distributed forms of the music content with a secure encryption key. However, some music contents distributed in this way are samples that are only intended for promotional use and so are not encoded with a high quality. If these contents are also encrypted with a secure encryption key, playback devices that cannot

decrypt the contents will not be able to play the sample.
This limits the promotional effect of providing samples to
consumers.

When a greater number of music contents need to be
5 encoded using different encoding methods for the stated
reasons, a supplier of contents is required to manage and
distribute the contents with more caution to prevent these
contents from being distributed to wrong destinations.
For instance, if such a great number of music contents for
10 sale should be mistakenly distributed instead of free
promotional contents, this would cause significant damage
to a content supplier.

Disclosure of the Invention

15

In accordance with aspects of the present invention
there is provided a system for realizing superdistribution
on a distribution route of a product to be sold over the
counter, the system comprising:

20

a first recording medium being movable and sold as
the product, wherein the first recording medium stores (a)
a content and (b) a superdistribution header and content
that is not to be sold over the counter;

a user apparatus which has been provided with a key
25 for decrypting the encrypted superdistribution header in

advance and when the first recording medium is inserted therein, offers a user to make use of the superdistribution content on a chargeable basis, and if the user accepts the offer, either reproduces the

5 superdistribution content or copies the superdistribution content to another recording medium; and

a charging center which, if the user accepts the offer, charges the user for use of the superdistribution content, via a communication with the user on the
10 Internet.

Brief Description of Drawings

Objects, advantages and features of the invention will become apparent from the following description
15 thereof taken in conjunction with the accompanying drawings which illustrate a specific embodiment of the invention.

In the drawings:

FIG. 1A shows an example of the external appearance
20 of an Enhanced-CD;

FIG. 1B shows an example of the data structure of the Enhanced-CD;

FIG. 2A shows an example of the external appearance of a DVD-Audio disc;

FIG. 2B shows a logical format of the DVD-Audio disc according to an embodiment of the present invention;

FIG. 3 shows an example of a plastic case containing a retail recording medium;

5 FIG. 4 shows an example of the data structure of a container 6;

FIG. 5 shows examples of purchase conditions 12;

FIG. 6 shows an example of how a retail content 3 and a superdistribution content 10 are distributed;

10 FIGs. 7A-7D show states in which a superdistribution content is recorded from a retail recording medium 200 onto a purchased-copy recording medium 650 according to embodiments of the present invention;

15 FIG. 8 shows an example of an interactive screen

PAGES 9-16

HAVE BEEN LEFT INTENTIONALLY BLANK

2
3
4
5
6

7
8
9
10
11
12

displayed using a playback control script 4 and still image data 5 by a playback device;

FIG. 9 shows the construction of a digital data recording device 100 of the second embodiment;

5 FIG. 10 is a flowchart showing the processing of the digital data recording device 100;

FIG. 11 shows an internal structure of a digital data recording device 300 of the third embodiment;

10 FIG. 12 is a flowchart showing the processing of an encoding unit 303 in the digital data recording device 300;

FIG. 13 shows an internal structure of a digital data playback device 400 of the fourth embodiment;

FIG. 14 is a flowchart showing the processing of an encoding unit 303 of the digital data playback device 400;

15 FIG. 15 shows a variety of methods to distribute content packages according to the fifth embodiment;

FIG. 16 shows internal constructions of a content packaging device 700 and content playback devices 801-809 according to the fifth embodiment;

20 FIG. 17A shows an example of a first correspondence table;

FIG. 17B shows an example of a second correspondence table;

25 FIG. 17C shows an example of a table stored in a hardware-grade/decryption correspondence table storage unit according to the fifth embodiment;

FIG. 18 shows a content package packaged by a

content packaging unit 709 according to the fifth embodiment;

FIG. 19 shows internal constructions of a content packaging device 700 and content playback devices 801-809 according to the sixth embodiment; and

FIG. 20 shows a content package packaged by a content packaging unit 709 according to the sixth embodiment.

Best Mode for Carrying Out the Invention

The following describes the recording media, playback devices, and recording devices of the present invention with reference to several embodiments. For ease of explanation, the recording media, the playback devices, and the recording devices will be explained separately using the first to sixth embodiments.

First Embodiment

The first embodiment describes a recording medium used in the retailing of music contents. Music contents for sale are called retail contents and are bought and sold having been recorded onto recording media called retail recording media. Two types of retail recording media are used in the present embodiment. The first is an Enhanced-CD, which is a disc made up of an inner region having the same physical structure as a CD such as Compact Disc-Digital Audio (CD-DA) and of an outer region having the same

physical structure as a CD-ROM. An Enhanced-CD therefore functions as both a CD-DA and a CD-ROM. FIG. 1A shows the external appearance of an Enhanced-CD, and FIG. 1B shows the data structure of the Enhanced-CD. As shown in FIGs. 1A and 1B, the inner region of the Enhanced-CD is called a CD-DA area, and the outer region is called a CD-ROM area. In terms of function, the CD-DA area can be called a content area 1 as it stores a retail content 3, and the CD-ROM area can be called an added value area 2 as it stores data that adds values to the whole recording medium. This recording medium is a retail recording medium used to sell the retail content 3 stored in the content area 1.

The second type of the recording medium used in the present embodiment is a DVD-Audio disc that stores the retail content 3. FIG. 2A shows the external appearance of the DVD-Audio disc, and FIG. 2B shows the logical format of the DVD-Audio disc. Although the DVD-Audio disc does not have a CD-DA area or a CD-ROM area like the Enhanced-CD disc, it stores a playback control script 4, still image data 5, and a container 6 as different files that can be accessed by a personal computer, and has the same functional data structure as the Enhanced-CD disc, which is to say, the DVD-Audio disc includes a content area 1 storing the retail content 3 and an added value area 2 storing data to add value to the whole recording medium. The major difference between the Enhanced-CD and the DVD-Audio disc is that the retail content 3 is recorded in the content area 1 of the

Enhanced-CD as it is, but is recorded in the content area 1 of the DVD-Audio disc having been encrypted using identification information unique to this particular DVD-Audio disc.

5 Each of these recording media is packaged in a plastic case along with printed inserts. FIG. 3 shows a plastic case specifically designed for packaging these recording media in the same way as a conventional music CD. When the retail content 3 in the content area is for music
10 entitled "SONG", the title "SONG" and related images are printed on the jacket of the recording medium as shown in FIG. 3.

 As stated above, a content area 1 and an added value area 2 exist in both the Enhanced-CD and the DVD-Audio disc.
15 The following explains stored contents of the added value area 2. The right-hand columns in FIGs. 1B and 2B show the stored contents of the added value area 2. As shown in the figures, the added value area 2 stores the playback control script 4, the still image data 5, and the container 6.

20 The playback control script 4 is information that describes what should be displayed on an interactive screen of a device when a recording medium of the present embodiment is loaded into the device. The playback control script 4 is written in a format such as MACROMEDIA DIRECTOR
25 or HTML. MACROMEDIA DIRECTOR format is used to describe authoring procedures that can be interpreted by software running on MS-WINDOWS or MAC OS, while HTML is often used to

write an Web pages that are displayed by browsers.

The still image data 5 is a static image to be displayed on the interactive screen of the device according to the playback control script 4.

5 A conventional Enhanced-CD stores a playback control script and still image data for displaying information, such as lyrics, or a promotional video of the retail content, or introduction of a fan club, or information on other new releases. However, the playback control script 4 and the
10 still image data 5 in the present embodiment are for display not information on the retail content 3 but information that recommends purchase and playback of a different music content.

 For instance, if the retail content 3 is for a new
15 release by a popular artist, the playback control script 4 can display information to recommend purchase and playback of a past hit song by the same artist. From the following explanation, it will become clear what music content in particular is being introduced by the playback control
20 script 4.

 The following explains the container 6 in the added value area 2 contained in both the Enhanced-CD and the DVD-Audio disc of the present embodiment. FIG. 4 shows the construction of the container 6. As shown in the figure,
25 the container 6 includes an encrypted header 7 and an encrypted content 8. The encrypted header 7 is a superdistribution header 9 that has been encrypted, and the

encrypted content 8 is a superdistribution content 10 that has been also encrypted.

"Superdistribution" is the name of a method of distributing contents and that is advocated by Ryoichi Mori, Professor Emeritus at University of Tsukuba. In superdistribution, a predetermined superdistribution header is attached to a content to be distributed and sold. Such a superdistribution header contains creditor information indicating a creditor who is to be paid, and purchase information indicating purchase conditions. When a consumer uses this content, the consumer's device interprets the creditor information and the purchase information to create a use record. The consumer reimburses the creditor according to the use record.

The superdistribution header 9 and the superdistribution content 10 are stored in the container 6 with a premise that they are suited to superdistribution. It is this superdistribution content 10 that has been encrypted and stored in the container 6 that is recommended by the still image data 5 and the playback control script 4.

As mentioned above, the superdistribution header 9 indicates confidential information used for securely performing superdistribution, such as the creditor information and the purchase information, which need protection against fraudulent acts such as tampering. For this reason, the superdistribution header 9 in the present embodiment includes a data area that has been encrypted

according to a cryptosystem based on a public key encryption algorithm. Note that the whole superdistribution header 9 may be encrypted instead, with this being the case for the following explanation. Widely used public key encryption systems include elliptic curve encryption systems and Rivest, Shamir, Adleman encryption (RSA). Public key cryptosystems are highly secure, since data that has been encrypted with a public key can only be decrypted with a different key. The present embodiment uses a public key cryptosystem to encrypt the superdistribution header 9, but this public key cryptosystem is improved in that a decryption key for decrypting the encrypted superdistribution header 9 is provided to a dedicated device in advance and that the encrypted superdistribution header 9 is decrypted when a retail recording medium is loaded into the dedicated device. In more detail, the dedicated device is connected to a communication network and charges the consumer a proper fee via the communication network when the superdistribution header 9 is decrypted and the dedicated device reproduces the superdistribution content 10 or records it onto another recording medium. This ensures that the consumer pays the copyright holder for using the superdistribution content 10.

Note that when different superdistribution contents need to be recorded onto a single retail recording medium, a superdistribution header of each superdistribution content is encrypted with a different public key, while the

dedicated device decrypts these superdistribution headers with a common decryption key. Note that although a fee for playback and/or purchase of a superdistribution content is charged via a communication network in the present embodiment, such a fee may be charged by another device by transferring fee information onto another recording medium such as an IC card or a prepaid card and having the another device operate according to the IC card or the prepaid card.

For the above construction, the decryption key for decrypting a superdistribution header is provided not on a retail recording medium but in the dedicated device. As a result, if a person who purchased the retail recording medium should try to decrypt the superdistribution header using an unauthorized device, it would be extremely difficult to decrypt the encrypted superdistribution header 9. This is so because a decryption key for decrypting the superdistribution content 10 is contained in the superdistribution header 9. Such decryption key will be described more later. As a result, the decryption of the superdistribution content 10 becomes also very difficult, so that the superdistribution content 10 can be distributed securely.

Note that no indication of the superdistribution content 10 is given on the jacket of the retail recording medium, as shown in FIG. 3. This is to prevent the consumer from thinking that the superdistribution content 10 is provided at no charge when he purchases the retail recording

medium storing the retail content 3.

The following explains elements stored in the superdistribution header 9 with reference to FIG. 4. As shown in FIG. 4, the superdistribution header 9 contains a content ID 11, purchase conditions 12, and a decryption key 13.

The content ID 11 is identification information to distinguish the superdistribution content 10 from other contents. As the superdistribution content 10 is a music content, identification information such as an International Standard Recording Code (ISRC) is written as the content ID 11. The ISRC is ID information provided to each song and consists of a country code (two ASCII characters), a recording year (one two-digit number), and a serial number (one five-digit number).

The purchase conditions 12 are information about the conditions regarding the purchase of the superdistribution content 10. FIG. 5 shows an example of the purchase conditions 12. As shown in the right column of FIG. 5, the purchase conditions 12 indicate the following: "permitted number of plays"; "digital output permission"; "playback permission expiry time"; "playback permission expiry date"; and "fee information".

The "permitted number of plays" is an integer indicating a limit on the number of times the superdistribution content 10 can be reproduced.

The "digital output permission" indicates whether

the superdistribution content 10 is permitted to be output via a digital output terminal of the dedicated device if the dedicated device has such a terminal. If so, the "digital output permission" also indicates the limit on the number of times for the digital output using an integer.

The "playback permission expiry time" indicates an expiry time at which point the superdistribution content 10 cannot be reproduced any more.

The "playback permission expiry date" indicates a date on which the playback permission expires. After this expiry date, the superdistribution content 10 cannot be reproduced any more.

The "fee information" indicates a fee charged when a consumer reproduces the superdistribution content 10 and a fee for the purchase of the superdistribution content 10. Note that the purchase fee is charged when the consumer records the superdistribution content 10 in the container 6 onto another recording medium, and playback fee is charged on an as-used basis according to a number of times the consumer has reproduced the superdistribution content 10. In electronic commerce, this fee information is an application form with a signature for purchase, which is to say, a consumer who owns the retail recording medium applies for the purchase or playback of the superdistribution content 10 by having the dedicated device transmit the fee information along with a user (consumer) ID to a host computer at a billing office of the music company. The dedicated device

loaded with the retail recording medium performs the above transmission via the communication network. The billing office, which knows a credit card number of the user registered in advance, charges the consumer for the purchase or the playback by withdrawing the fee from a bank account corresponding to the credit card number of the user referring to the sent user ID.

The decryption key 13 decrypts the encrypted content 8 to generate the superdistribution content 10. The superdistribution content 10 is a music content in a format such as Linear Pulse Code Modulation (LPCM), Advance Audio Coding (AAC), or Digital Theater System (DTS) and is encrypted with a block cryptosystem. Block cryptosystems divide a content to be encrypted into blocks of a certain length, and encrypts the content in units of blocks. DES (data encryption standard), where one block is 64-bit long, or RC5, where blocks have a variable length, are examples of block cryptosystems. In a block cryptosystem, the same key is used for encryption and decryption, so that block cryptosystems have lower security than public key cryptosystems. However, with the present embodiment, the decryption key 13 used for decrypting the encrypted content 8 is contained in the superdistribution header 9 that is itself encrypted with a public key cryptosystem of higher security. As a result, it is extremely difficult for an unauthorized user to decrypt the superdistribution content 10.

As has been described, with the above construction of

the container 6, it is extremely difficult to decrypt the superdistribution header 9 and tamper with the fee information, as the purchase conditions 12 are contained in the superdistribution header 9 which has been encrypted using
5 a public key to ensure high security. As stated above, the superdistribution header 9 is encrypted with complex public key encryption, and the superdistribution content 10 is encrypted via a simpler block encryption technique using the decryption key 13 given in the superdistribution header 9.

10 When the consumer decides to play or purchase the superdistribution content 10, the superdistribution content 10 can be quickly decrypted using the decryption key 13 taken from the superdistribution header 9 and presented to the user. The time taken by this decryption should be far
15 shorter than the time that taken to download the same content electronically. In this way, the present technique succeeds in allowing the consumer to quickly reproduce or purchase the superdistribution content 10.

The following describes management information on a
20 superdistribution header and a superdistribution content. Although a retail content is managed by management information provided on a CD or a DVD-Audio disc storing the retail content so that such content will be recognized and reproduced as music by a CD player or a DVD-Audio disc
25 player, a superdistribution content and a superdistribution header are not managed by such management information. This is to stop the CD player or the DVD-Audio disc player

recognizing the superdistribution content as music and reproducing the superdistribution content without decrypting it. In such case, the superdistribution content would be reproduced as noise. Accordingly, a superdistribution
5 content and a superdistribution header are managed by unique management information to distinguish them from the retail content. This management information is used by the dedicated device to detect the start and the end of the recording areas of the superdistribution header and the
10 superdistribution content on a recording medium when reading the superdistribution header and the superdistribution content from the recording medium. Here, note that the terms CD player and DVD-Audio disc player do not refer to the digital data playback device 400 that is described later.

15 The following explains how the retail content 3 is distributed to a consumer and the superdistribution content 10 is superdistributed to the consumer with reference to FIG. 6.

As shown by arrow y1 in FIG. 6, a digital data
20 recording device 100 installed in a factory operated by the music company records the retail content 3, the playback control script 4, the still image data 5, and the container 6 onto a retail recording medium 200. The retail recording medium 200 is then transported as shown by arrow y2 by truck,
25 for instance, to a retail shop as in the distribution of a conventional CD so that a consumer can purchase the retail recording medium 200 at the retail shop as shown by arrow y3.

The consumer who bought the retail recording medium 200 plays the retail content 3 in the same manner as when playing a normal CD or on a DVD-Audio disc. For instance, the consumer may listen to the retail content 3 on a portable playback device while walking as shown by arrow y4.

Assume that the consumer who bought the retail recording medium 200 has a digital data recording device 300 and a digital data playback device 400 in his house as the aforementioned dedicated devices connected to a communication network. The digital data recording device 300 records the superdistribution content 10 from the retail recording medium 200 onto another recording medium with a fee being charged by the music company. The digital data playback device 400 plays the superdistribution content 10 on the retail recording medium 200, which is also charged.

The playback control script 4 in the retail recording medium 200 has the digital data recording device 300 and the digital data playback device 400 display an interactive screen that contains the reproduced still image data 5. FIG. 8 shows an example of the interactive screen. In FIG. 8, an image m1 is an introductory image of the superdistribution content 10, for instance, a photo of the band who plays a related release of the superdistribution content 10. A message m2 prompts the user to reproduce the superdistribution content 10, and buttons m3 and m13 are used to designate positive and negative responses to the message m2. A playback fee m4 shows the reproduction fee of the

superdistribution content 10. A message m5 prompts the user to purchase the superdistribution content 10, and buttons m6 and m16 are used to designate positive and negative responses to the message m5. A purchase fee m7 shows a purchase price of the superdistribution content 10. This interactive screen allows a consumer to know about the superdistribution content 10 in the retail recording medium 200, and if interested, the consumer can have the digital data playback device 400 reproduce the superdistribution content 10 or purchase the superdistribution content 10 via the digital data recording device 300. When the consumer purchases or reproduces the superdistribution content 10, the digital data recording device 300 or the digital data playback device 400 transmits fee information indicating a fee for the purchase or the playback via a communication network 500 to a host computer 600 installed in the billing office of the music company.

FIGs. 7A-7D show stages in which the digital recording device 300 records the superdistribution content 10 from the retail recording medium 200 onto another recording medium to purchase the superdistribution content 10. Hereafter, the recording medium onto which the superdistribution content 10 is recorded to purchase it from a retail recording medium is called the purchased-copy recording medium. Here, assume that the purchased-copy recording medium is a DVD-RAM.

As shown in FIG. 7A, when a user loads the retail recording medium 200 and the DVD-RAM 650 as a purchased-copy recording medium into the digital data recording device 300,

the digital recording device 300 records the
superdistribution content 10 onto the DVD-RAM 650 as shown in
FIG. 7B. When the user ejects the DVD-RAM 650 as shown in
FIG. 7C, the purchase of the superdistribution content 10 is
5 completed. To play the DVD-RAM 650, the user removes the
DVD-RAM 650 from its cartridge and loads the DVD-RAM 650 into
a DVD-RAM-compatible DVD-Audio player that can play both DVD-
Audio discs and DVD-RAMs.

Note that the digital recording device 300 may record
10 the superdistribution content 10 onto a memory card, instead
of a DVD-RAM.

With the superdistribution explained in the present
embodiment, a price of the superdistribution content 10 can
be set lower than the retail price of the retail content 3.
15 This is because the retail price of the retail content 3
includes various distribution costs of an Enhanced-CD or a
DVD-Audio disc such as a transportation cost, while the price
of the superdistribution content 10 does not include any
distribution cost as it can be purchased by merely decrypting
20 the encryption.

The present embodiment enables the user to purchase
related contents in an interactive manner that resembles
electronic commerce without using high speed communication
lines that would be required for successful electronic
25 distribution via the Internet, for example.

Note that while an Enhanced-CD and a DVD-Audio disc
are used as a recording medium to store a music content in

the present embodiment, a DVD-Audio disc of a hybrid type functions both as a DVD-Audio disc and as a DVD-ROM.

This completes the description of a data structure suitable for the superdistribution, which is the first
5 embodiment of the present invention.

Second Embodiment

The second embodiment relates to a digital data recording device 100 that produces a recording medium
10 containing data in a format suited to superdistribution. FIG. 9 shows the digital data recording device 100 of the present embodiment. The digital data recording device 100 is achieved by installing a dedicated application program into a general-purpose personal computer, and comprises an input
15 unit 101, a control unit 102, an encoding unit 103, a content storage unit 104, an obtaining unit 105, a superdistribution content encrypting unit 106, a superdistribution header encrypting unit 107, a retail content encrypting unit 108, a recording unit 109, and a unique information obtaining unit
20 110. The digital data recording device 100 records a superdistribution content onto the retail recording medium 200.

Note that although the digital data recording device 100 of the present embodiment records a music content onto a
25 retail recording medium, data to be recorded onto a retail recording medium is not limited to this, that is, other data such as graphic data, character data, or combination of

graphic data and character data may be recorded onto the retail recording medium.

The input unit 101 is connected to a pointing device such as a mouse or a keyboard and receives an instruction from an operator to encode a certain piece of music, to
5 obtain a certain encoded data, etc.

The control unit 102 interprets a request from the input unit 101 and instructs the encoding unit 103 to encode a piece of music or the obtaining unit 105 to obtain a music
10 content stored in the content storage unit 104.

The encoding unit 103 encodes original music recorded on a master tape or the like and compresses the encoded music to generate a music content. For instance, the encoding unit 103 generates digital data in LPCM format, and compresses the
15 generated LPCM digital data to generate a music content in AAC format. After generating the music content, the encoding unit 103 generates the content ID, which has been described in the first embodiment, of the generated music content. Note that the digital data recording device 100 does not have
20 to include the encoding unit 103 because such encoding may be performed beforehand, for instance, by a different device, and the music content that has been encoded can be stored in the content storage unit 104.

The content storage unit 104 is a large-capacity hard
25 disk device, which stores the music content encoded by the encoding unit 103 and its content ID.

The obtaining unit 105 obtains a music content that

has been encoded and its content ID from the content storage unit 104 according to an instruction from the control unit 102.

5 The superdistribution content encrypting unit 106 encrypts a superdistribution content. Here, assume that the digital data recording device 100 is to produce the retail recording medium 200 that has the same stored contents as shown in FIG. 1 or FIG. 2. In this case, the superdistribution content encrypting unit 106 encrypts the
10 superdistribution content 10 using the decryption key 13 as an encryption key to generate the encrypted content 8. The setting of the decryption key 13 can be made arbitrarily by the operator.

15 The superdistribution header encrypting unit 107 generates the superdistribution header 9 by combining the purchase conditions 12 that the operator has written in a format suited to superdistribution, the content ID 11, and the decryption key 13. The superdistribution header encrypting unit 107 then encrypts the generated
20 superdistribution header 9 to generate the encrypted header 7, which it attaches to the encrypted content 8 to produce the container 6.

25 The unique information obtaining unit 110 obtains, if the retail recording medium 200 is a DVD-Audio disc and the retail content 3 needs to be encrypted based on identification information unique to the DVD-Audio disc, identification information that was recorded onto the DVD-

Audio disc when the DVD-Audio disc was manufactured. The unique information obtaining unit 110 then outputs the obtained identification information to the retail content encrypting unit 108. If the retail recording medium 200 is an Enhanced-CD, the retail content 3 does not need to be encrypted, and the processing of the unique information obtaining unit 115 is not performed.

The retail content encrypting unit 108 encrypts the retail content 3 based on the obtained identification information unique to the DVD-Audio disc if the retail recording medium 200 is a DVD-Audio disc. If the retail recording medium 200 is an Enhanced-CD, the retail content 3 does not need to be encrypted so that the retail content encrypting unit 108 does not encrypt the retail content 3. A cryptosystem based on identification information unique to a recording medium is disclosed by Japanese Laid-Open Patent Application No.5-257816, and so that no detailed explanation of such will be given.

The recording unit 109 records the container 6 generated by the superdistribution header encrypting unit 107 and the retail content 3 that may be encrypted by the retail content encrypting unit 108 onto the retail recording medium 200.

The following explains the processing of the digital data recording device 100 with reference to the flowchart of FIG. 10. The following explanation is provided assuming that original music has been already encoded and compressed as

music contents and that a plurality of such music contents are stored in the content storage unit 104.

In step S1, after being activated, the control unit 102 waits for a designation of a music content to be recorded onto the retail recording medium 200 out of the plurality of music contents in the content storage unit 104. If a music content has been designated, the control unit 102 waits for an instruction from the operator to record the designated music content onto the retail recording medium 200 either as a retail content or a superdistribution content in step S2. On receiving the instruction, the control unit 102 judges whether the received instruction indicates that the designated music content should be recorded as a retail content or a superdistribution content in step S3.

Here, assume that the control unit 102 judges that the instruction indicates that the music content should be recorded as a retail content (the retail content 3) in step S3. As a result, the processing moves from step S3 to step S8, where the control unit 102 judges whether the retail recording medium 200 is a DVD-Audio disc or an Enhanced-CD. If the control unit 102 judges that the retail recording medium 200 is an Enhanced-CD, the processing moves from step S8 to step S6, where the control unit 102 instructs the obtaining unit 105 to obtain the designated music content from the content storage unit 104 and the recording unit 109 to record it onto the retail recording medium 200. On the other hand, if the control unit 102 judges that the retail

recording medium 200 is a DVD-Audio disc in step S8, the processing moves to step S9, where the control unit 102 instructs the obtaining unit 105 to obtain the designated music content from the content storage unit 104 and send it to the retail content encrypting unit 108. The retail content encrypting unit 108 then instructs the unique information obtaining unit 108 to obtain the unique identification information from the retail recording medium 200. The processing then moves from step S9 to step S10, where the retail content encrypting unit 108 encrypts the retail content 3 using the obtained identification information as an encryption key, and then to step S6, where the recording unit 109 records the encrypted retail content 3 onto the retail recording medium 200. The above processing in steps S1 to S3, S8 to S10, and S6 results in the retail content 3 being recorded onto the retail recording medium 200. The following explains the processing performed when the control unit 102 judges that the received instruction indicates that the designated music content should be recorded as a superdistribution content (the superdistribution content 10) in step S3.

On judging that the designated music content should be recorded as a superdistribution content, the control unit 102 instructs the obtaining unit 105 to obtain the music content and output the obtained music content (superdistribution content 10) to the superdistribution content encrypting unit 106 in step S3. In step S4, the

superdistribution content encrypting unit 106 encrypts the output superdistribution content 10 to generate the encrypted content 8.

5 In step S5, the control unit 102 instructs the superdistribution header encrypting unit 107 to combine the content ID 11, the purchase conditions 12, and the decryption key 13 and to encrypt the combination to generate encrypted header 7. The control unit 102 then attaches the encrypted header 7 to the encrypted content 8 to generate the container
10 6. In step S6, the recording unit 109 records the container 6 onto the retail recording medium 200. In step S7, the digital data recording device 100 asks the operator if recording should be terminated. If so, the processing shown in this flowchart is terminated, or if not, the processing
15 moves from step S7 to step S1.

As has been described, the digital data recording device 100 of the present embodiment selects, out of a plurality of music contents to be recorded onto the retail recording medium 200, a music content whose reproduction and
20 recording onto another recording medium should be charged as a superdistribution content. The digital data recording device 100 then encrypts the superdistribution content to prevent the superdistribution content from being reproduced or recorded onto another recording medium without a fee being
25 charged.

Since the superdistribution header 9 containing the decryption key 13 and the fee information 12 used by the

dedicated device when the superdistribution content 10 is reproduced or/and purchased is attached to the encrypted superdistribution content 10, the music company can be paid each time the consumer plays the superdistribution content 10 or when the consumer purchases the superdistribution content 10.

Third Embodiment

The following explains the third embodiment.

FIG. 11 shows an internal construction of a digital data recording device 300 of the third embodiment. The digital data recording device 300 is fundamentally the same as a digital data recording device used for the conventional electronic music distribution, and so has a download function for electronic music distribution to receive a music content via the Internet and to record the music content onto a purchased-copy recording medium with a fee being charged. More specifically, the digital data recording device 300 includes a communication unit 313 for transferring data via the Internet and a billing unit 310 for charging a fee via the communication network when using electronic commerce. FIG. 11 is provided to functionally show the internal structure of the digital data recording device 300 related to the purchase of superdistribution contents.

The digital data recording device 300 is achieved by a personal computer in which a dedicated application program has been installed and comprises an input unit 301, a display

unit 302, a control unit 303, an obtaining unit 304, a
superdistribution header decrypting unit 305, a
superdistribution content decrypting unit 306, a unique
information obtaining unit 307, a superdistribution content
5 re-encrypting unit 308, a recording unit 309, the billing
unit 310, a fee information storage unit 312, the
communication unit 313, and a record count management unit
314. The following explanation assumes that the retail
recording medium 200 has the stored contents shown in FIG. 1
10 or FIG. 2 and that the purchased-copy recording medium 650 is
a DVD-RAM.

The input unit 301 is connected to a pointing device
such as a mouse or a keyboard, and receives an instruction to
purchase a certain superdistribution content from the user.
15 Note that the "purchase" of a superdistribution content via
the superdistribution can be achieved by recording data in
the superdistribution content onto another recording medium
or by outputting the data in the superdistribution content
via a digital output terminal provided on a digital data
20 recording or playback device. This latter case is possible
since it enables the data in the superdistribution content 10
to be recorded onto another recording medium loaded in
another drive device. Here, note that the digital data
recording device 300 is assumed to have such a digital output
25 terminal to which a drive device is connected as shown in
FIG. 7A.

The display unit 302 displays an interactive screen

based on the playback control script 4 and the still image data 5 which are recorded on the retail recording medium 200 to visually provide the consumer with information on the superdistribution content 10 such as fees for playback and purchase of the superdistribution content 10.

The control unit 303 interprets an instruction inputted via the input unit 301 from the user and instructs other functional units according to the instruction. For instance, on receiving the instruction from the user to purchase the superdistribution content 10, the control unit 303 instructs the obtaining unit 304 to obtain the superdistribution content 10 and the superdistribution header 9 from the retail recording medium 200. The control unit 313 also controls the processing thereafter according to an output from another functional unit.

The obtaining unit 304 obtains the container 6 from the retail recording medium 200.

The superdistribution header decrypting unit 305 decrypts the encrypted header 7 in the container 6 obtained by the obtaining unit 304 using a decryption key to obtain the superdistribution header 9. When the superdistribution header 9 is obtained, it becomes possible to show the user the purchase conditions 12. Here, the decryption key used to decrypt the encrypted header 7 may be contained beforehand in the application program installed in the digital data recording device 300 or may be transmitted from the billing office via a communication network.

After the superdistribution header decrypting unit 305 decrypts the superdistribution header 9, the superdistribution content decrypting unit 306 decrypts the encrypted content 8 using the decryption key 13 contained in the superdistribution header 9. As a result, the superdistribution content 10 is obtained.

The unique information obtaining unit 307 obtains identification information unique to the purchased-copy recording medium 650, which is a DVD-RAM. For a DVD-RAM, information written in a Burst Cutting Area (BCA) is used as the identification information on the DVD-RAM. Different identification information is recorded onto each DVD-RAM when the DVD-RAM is manufactured, and the identification information cannot be changed. When the superdistribution content 10 is encrypted using the identification information unique to a DVD-RAM as an encryption key, the decryption key for decrypting the superdistribution content 10 will also be based on the same identification information, and so if the encrypted superdistribution content should be copied from one DVD-RAM onto another, identification information will differ, preventing the copied superdistribution content from being decrypted. As a result, the copyright of the superdistribution content 10 can be securely protected.

Based on the identification information obtained by a unique information obtaining unit 307, the superdistribution content re-encrypting unit 308 encrypts the superdistribution content 10 that has been decrypted by the superdistribution

content decrypting unit 308.

The recording unit 309 records the re-encrypted superdistribution content 10 onto the purchased-copy recording medium 650 and outputs a recording end notification to the billing unit 310.

On receiving the recording end notification from the recording unit 309, the billing unit 310 reads the fee information from the purchase conditions 12 in the decrypted superdistribution header 9, and calculates a fee for the purchase based on the read fee information. The billing unit 310 then inserts the calculated purchase fee into the read fee information.

The fee information storage unit 312 is achieved by a hard disk in the personal computer, and stores the fee information containing the calculated fee. It is desirable that the fee information storage unit 312 stores the fee information in an encrypted state or stores the fee information in a "secure area" which cannot be accessed by a user through a standard processing to protect the fee information from being tampered with.

The communication unit 313 includes a modem device connected to the communication network and software to control the modem device, and transmits the ID of the user and the fee information in the fee information storage unit 312 to the host computer 600 installed in the billing office of the music company via the communication network with an appropriate timing. Here, the appropriate timing may be when

the fee reaches a predetermined amount, or when a predetermined day comes. It is of course possible to communicate with the host computer 600 each time the user records a superdistribution content onto the purchased-copy recording medium 650.

The record count management unit 314 stores a number of times the recording unit 309 has recorded the superdistribution content 10 onto a purchased-copy recording medium 650 so far, and increments the number by one each time the recording unit 309 records the superdistribution content 10 onto a purchased-copy recording medium 650.

The following explains the processing of the digital data recording device 300 that has the above construction with reference to the flowchart of FIG 12.

The processing of this flowchart starts when the retail recording medium 200 is loaded into the digital data recording device 300. In step S20, an input from the user requesting to introduce the superdistribution content 10 of the related music is awaited. On receiving such input, in step S21 the control unit 303 has the obtaining unit 304 read the playback control script 4 and the still image data 5 from the added value area 2 of the retail recording medium 200. The control unit 303 then has the display unit 302 display the interactive screen shown in FIG. 8. In step S22, an instruction from the user to purchase the superdistribution content 10 is awaited. If an input indicating that the user performs cancel operation is received, the processing is

terminated, or if the purchase instruction is received, the processing moves from step S22 to step S23, where the control unit 303 has the obtaining unit 304 obtains the container 6 containing the encrypted header 9 from the retail recording medium 200. In step S24, the superdistribution header decrypting unit 305 decrypts the encrypted header 7 to obtain the superdistribution header 9. In step S25, the control unit 303 reads the number of times the recording unit 309 has recorded the superdistribution content 10 so far from the record count management unit 314. In step S26, the control unit 303 reads the limit on the number of times for digital output from the superdistribution header 9. In step S27, the control unit 303 judges whether the number of times read from the record count management unit 314 is lower than the read limit on the number of times. If not, the recording of the superdistribution content 10 is no longer permitted, and the processing of this flowchart is terminated. If so, the control unit 303 has the superdistribution content decrypting unit 306 decrypt the decrypted content 8 using the decryption key 13 in the superdistribution header 9 in step S28 to obtain the superdistribution content 10.

After the decryption of the superdistribution content 10, the control unit 303 has the unique information obtaining unit 307 obtain the identification information from the purchased-copy recording medium 650, and has the superdistribution content re-encrypting unit 308 encrypt the superdistribution content 10 using the obtained

identification information as an encryption key in step S29. In step S30, the control unit 303 has the recording unit 309 record the re-encrypted superdistribution content 10 onto the purchased-copy recording medium 650.

5 At the completion of the recording by the recording unit 309, the control unit 303 has the billing unit 310 read the fee information in the purchase conditions 12 from the superdistribution header 9 and calculate the fee for the purchase based on the read fee information. The control unit
10 303 then has the billing unit 310 insert the calculated purchase fee into the read fee information and place the inserted fee information into the fee information storage unit 312 in step S31. In step S32, the control unit 303
15 waits for an appropriate time to transmit the fee information stored in the fee information storage unit 312, and when such time is reached, the control unit 303 has the communication
unit 313 obtain and transmit the fee information along with the ID of the user to the host computer 600 of the billing office in step S33. This completes the processing.

20 As has been described, only when the consumer agrees to the purchase of the superdistribution content 10 in the retail recording medium 200 the consumer has bought, does the digital data recording device 300 record the
25 superdistribution content 10 onto the purchased-copy recording medium 650 and transmit the fee information for the recording to the billing office via the communication network. As a consumer does not need to download the

superdistribution content 10 via the communication network, the communications fee charged to the consumer can be minimized in a state where the required infrastructure for electronic music distribution has not been fully implemented, and so a transmission speed of a communication network is low. As a result, the superdistribution content 10 can be sold with little cost involved.

Fourth Embodiment

The fourth embodiment relates to a digital data playback device 400 for reproducing a superdistribution content having been charged a fee. Unlike the digital data recording device 300 of the third embodiment that records the superdistribution content 10 from the retail recording medium onto another recording medium, the present digital data playback device 400 directly reproduces a superdistribution content from the retail recording medium 200, which is the major difference between the above two devices. Both devices have a function to download a music content via the Internet with the electronic music distribution and so include common functional units for performing such download.

FIG. 13 shows the construction of the digital data playback device 400 of the present embodiment. In FIG. 13, the functional units common to the digital data recording device 300 and the digital data playback device 400 are given the same reference numbers as in FIG. 11, and will not be explained here. The following explains only the functional

units assigned reference numbers in the 400 that are unique to the digital data playback device 400. These are a playback unit 401 and a playback count management unit 402.

The playback unit 401 reproduces the superdistribution content 10 that has been decrypted by the superdistribution content decrypting unit 306. On starting to reproduce the superdistribution content 10, the playback unit 401 notifies the billing unit 310 of the start of the reproduction so that the billing unit 310 charges the user the reproduction fee.

The playback count management unit 402 records a number of times the playback unit 401 has reproduced the superdistribution content 10, and increments the number by one for each reproduction by the playback unit 401.

The following specifically explains the processing of the digital data playback device 400 with reference to the flowchart of FIG. 14. In this flowchart, steps S20 to S24, step S28, and steps S31 to S33 are the same as in FIG. 12 and so will not be explained. The following explanation focuses on steps S41 to S46 that are unique to the fourth embodiment.

Following step S24 in which the encrypted header 7 is decrypted to obtain the superdistribution header 9, the control unit 303 reads the number of times the playback unit 401 has reproduced the superdistribution content 10 from the playback count management unit 402 in step S41. In the same step, the control unit 303 reads the permitted number of plays from the superdistribution header 9. In step S42, the

control unit 303 judges whether the number of times read from the playback count management unit 402 is lower than the permitted number of plays. If not, which means that the reproduction is no longer permitted, the processing of this flowchart is terminated, or if so, the control unit 303 reads the present time and date in step S43 and the playback permission expiry time and date from the superdistribution header 9 in step S44. In step S45, the control unit 303 judges whether the read present time has passed the read playback permission expiry time and the playback permission expiry date. If so, the processing of this flowchart is terminated, or if not, the processing moves from step S45 to step S28 in which the control unit 303 has the superdistribution content decrypting unit 306 decrypt the decrypted content 8 using the decryption key 13 to generate the superdistribution content 10. In step S46, the control unit 303 has the playback unit 401 reproduce the superdistribution content 10.

With the digital data playback device 400 of the present embodiment, the playback unit 401 notifies to the billing unit 310 whenever it starts to reproduce the superdistribution content 10. This allows the music company to charge the consumer each time the superdistribution content 10 is reproduced.

Note that the stated function to reproduce the superdistribution content 10 may be combined with the function to purchase the superdistribution content 10

described in the third embodiment to realize a digital data recording device in which these two functions are provided.

Fifth Embodiment

5 Although the first to the fourth embodiment have been described assuming that a music content is distributed using a recording medium, the present embodiment is described with a premise that a content is distributed using not only a recording medium but also the Internet or a broadcast wave of
10 a satellite broadcast, a CATV cable, or the like.

FIG. 15 shows a variety of methods to distribute content packages produced by a content packaging device 700 of the present embodiment. The content package contains a plurality of contents, and will be explained more later. As
15 shown in FIG. 15, content packages are distributed via a DVD-Audio disc 701, a CD 702, the Internet 703, a CATV cable 704, and a communication satellite 705. Content playback devices 801-809 are devices for reproducing a content package. The device 801 is a high-grade device dedicated to reproducing a
20 content, and the devices 802 and 803 are low-grade dedicated device for a content. The devices 804 and 805 are dedicated portable devices for a content, and the devices 806 and 807 are general-purpose personal computers equipped with hardware dedicated to the reproduction of a content. The devices 808
25 and 809 are set-top boxes for receiving a broadcast wave via a communication satellite or a CATV cable.

In this way, content packages are distributed to the

content playback devices of various types. Among the content playback devices 801-809, consumer devices such as the devices 801 and 802 include hardware dedicated to the decryption of an encrypted content, while the devices 806 and 807 that are general-purpose personal computers do not include such dedicated hardware for decryption, and can only decrypt encrypted contents by running decryption software on general-purpose hardware. Accordingly, it is possible to regard the general-purpose personal computers 806 and 807 as not having a copyright protection system, and the consumer devices 801-805 as having such a system. This arrangement is used because consumer playback devices can reproduce contents at high quality, while a general-purpose personal computer can only reproduce contents at low quality.

FIG. 16 shows internal constructions of the content packaging device 700 and the content playback devices 801-809 according to the fifth embodiment. The content packaging device 700 includes a content encoding unit 706, a quality-grade/encryption correspondence table storage unit 707, a content encrypting unit 708, and a content packaging unit 709.

The content encoding unit 706 encodes a production to be distributed using different methods to generate a plurality of contents that each have a different reproduction quality but are based on the same production. Here, assume that the generated plurality of contents are a retail content 710 and a sample content 711 that has a reproduction quality

lower than the retail content 710.

The content-grade/encryption correspondence table storage unit 707 stores a first correspondence table and a second correspondence table. The first correspondence table stores a plurality of pairs that each consist of a quantization bit number and a sampling frequency which are used by the content encoding unit 706 when encrypting the content, and stores a plurality of content grades assigned to each content that is generated as a result of the above encoding. In this table, each pair is associated with a different content grade. The second correspondence table stores the same content grades as the first correspondence table and a plurality of pairs that each consist of an encryption key bit number and an encryption algorithm name. Each content grade is associated with a different pair.

FIG. 17A shows an example of the first correspondence table. As shown in the figure, Grade 1 is associated with a pair of 24 bits as the quantization bit number and 96 KHz as the sampling frequency, Grade 2 with 16 bits as the quantization bit number and 44.1 KHz as the sampling frequency, and Grade 3 with 16 bits as the quantization bit number and 22.05 KHz as the sampling frequency, wherein a lower grade number indicates a higher content grade. In this way, a pair of a higher quantization bit number and a higher sampling frequency is associated with a higher content grade.

FIG. 17B shows an example of the second correspondence table. As shown in FIG. 17B, Grade 1 is

associated with a pair of a 1024-bit encryption key and the RSA encryption algorithm, Grade 2 with a pair of a 512-bit encryption key and the RSA encryption algorithm, and Grade 3 with a pair of a 56-bit encryption key and the DES algorithm. Here, the RSA encryption algorithm is a public key system that provides higher security than the DES encryption algorithm which is a common key system. Encryption keys with higher bit numbers ensure higher security. In this way, a higher content grade is associated with an encryption key and an encryption algorithm that ensure higher security.

The content encrypting unit 708 refers to the first correspondence table and assigns a content grade out of Grades 1-3 to each content encoded and generated by the content encoding unit 706. The content encrypting unit 708 then refers to the second correspondence table and encrypts the content assigned a content grade using an encryption key and an encryption algorithm that are associated with the assigned content grade. For instance, when encrypting the retail content 710 that has been encoded by the content encoding unit 706 by quantizing at 24 bits and sampling at 96 KHz, the content encrypting unit 708 refers to the first correspondence table and assigns Grade 1 to the retail content 710. The content encrypting unit 708 then refers to the second correspondence table, generates a 1024-bit encryption key (a session key) associated with Grade 1, and encrypts the retail content 710 using the generated 1024-bit encryption key and the RSA algorithm associated with Grade 1.

The content encrypting unit 708 then attaches the 1024-bit encryption key to the retail content 710 to which the above scrambling has been performed.

On the other hand, when encrypting the sample content 711 that has been encoded using a 16-bit quantization bit number and a 44.1-KHz sampling frequency by the content encoding unit 706, the content encrypting unit 708 assigns Grade 2 to the sample content 711, generates a 512-bit encryption key (a session key) associated with Grade 2, and encrypts the sample content 711 using the generated 512-bit encryption key and the RSA encryption algorithm associated with Grade 2. The content encrypting unit 708 then attaches the 512-bit encryption key to the sample content 711 for which the above scrambling has been performed.

The content packaging unit 709 packages the retail content 710 and the sample content 711 that have been encrypted by the content encrypting unit 708 to generate a content package, and converts it into a form suitable for a distribution method. More specifically, if the content package is to be distributed via the Internet, a satellite broadcast, or a CATV cable, the content packaging unit 709 converts the content package into Transmission Control Protocol (TCP) packets or transport packets and outputs the generated packages. If the content package is to be distributed via a recording medium such as a CD-ROM or a DVD-ROM, the content packaging unit 709 converts the content package into a file in a Universal Disk Format (UDF) or the

like, and records the converted file onto a CD-ROM or a DVD-ROM. FIG. 18 shows an example of a content package that has been packaged, but not yet converted by the content packaging unit 709. As shown in the figure, the content package
5 contains a plurality of contents and is distributed to the content playback devices 801-809.

The following explains the content playback devices 801-809. Although the content playback devices 801-809 have different overall constructions as shown in FIG. 15, these
10 devices have common functional units shown in FIG. 16, that is, a hardware-grade/decryption correspondence table storage unit 810, a hardware performance evaluation unit 811, a content unpack unit 812, a content decrypting unit 813, a content storing unit 814, and a content playback unit 815.

15 The hardware-grade/decryption correspondence table storage unit 810 stores a hardware-grade/decryption correspondence table that associates a plurality of hardware grades with a plurality of pairs that each consist of a decryption key bit number and a decryption algorithm name.
20 Each hardware grade is associated with a different pair and indicates hardware performance of a content playback device.

More specifically, each hardware grade in this table is determined by whether hardware dedicated to the decryption of an encrypted content, that is, a copyright protection system
25 is provided to a content playback device, and if so, decryption capability of the copyright protection system. These hardware grades are expressed in descending order as

Grades A, B, and C. For instance, Grade A indicates that a copyright protection system is provided to a content playback device, and Grades B and C indicate that a copyright protection system is not provided to a content playback device. FIG. 17C shows the table stored in the hardware-grade/decryption correspondence table storage unit 810. In the table, Grade A is associated with a pair of a 1024-bit decryption key and the RSA decryption algorithm, Grade B with a pair of a 512-bit decryption key and the RSA decryption algorithm, and Grade C with a pair of a 56-bit decryption key and the DES decryption algorithm.

The hardware performance evaluation unit 811 evaluates hardware performance of the content playback device in which this unit is provided to calculate its grade by detecting whether the content playback device includes hardware dedicated to the decryption of an encrypted content and by calculating a memory size of the hardware that can be used for the decryption.

The content unpack unit 812 receives a content package from the content packaging unit 700 and unpacks the content package to obtain the retail content 710 and the sample content 711.

The content decrypting unit 813 refers to the hardware-grade/decryption correspondence table first and selects a decryption key and a decryption algorithm corresponding to the grade calculated by the hardware performance evaluation unit 811. Second, the content

decrypting unit 813 separates only a content that can be decrypted by the selected decryption key and decryption algorithm out of the contents unpacked by the content unpack unit 812. Third, the content decrypting unit 813 decrypts the separated content using the decryption key and the decryption algorithm.

The following specifically explains decryption by the content decrypting unit 813 of the content playback device 801 which is a high-grade consumer playback device. When the content playback device 801 has dedicated hardware for the decryption, the hardware performance evaluation unit 811 assigns the playback device 801 a grade corresponding to Grade A in the table in the hardware-grade/decryption table storage unit 810. Following this, the content decrypting unit 813 refers to the table to select a pair associated with Grade A. As Grade A is associated with a pair of a 1024-bit decryption key and the RSA decryption algorithm, the content decrypting unit 813 selects this pair. After finding that the retail content 710 is encrypted by a 1024-bit encryption key and the RSA encryption algorithm, the content decrypting unit 813 separates only the retail content 710 from the contents unpacked by the content unpack unit 812. Following this, the content decrypting unit 813 decrypts the separated retail content 710 using the RSA decryption algorithm and the decryption key that has been provided in advance.

On the other hand, if a playback device is the content playback device 806 which is a personal computer that

decrypts the content by running decryption software on general-purpose hardware, the hardware performance evaluation unit 811 assigns a grade corresponding to Grade C in the table in the hardware-grade/decryption table storage unit 810. The content decrypting unit 813 then refers to the table to select a pair associated with Grade C. As Grade C is associated with a pair of a 56-bit decryption key and the DES decryption algorithm, the content decrypting unit 813 selects this pair. After finding that the sample content 711 is encrypted by a 56-bit encryption key and the DES encryption algorithm, the content decrypting unit 813 separates only the sample content 711 from the contents unpacked by the content unpack unit 812. Following this, the content decrypting unit 813 extracts an encryption key attached to the sample content 711 from the content package to obtain the encryption key as a decryption key, which is possible because the DES algorithm is a common key system. The content decrypting unit 813 decrypts the separated sample content 711 using the extracted encryption key as the decryption key and the RSA decryption algorithm.

The content storage unit 814 stores a content decrypted by the content decrypting unit 813.

The content playback unit 815 reproduces the content that has been temporarily stored in the content storage unit 814.

As has been described, the content packaging device of the present embodiment generates the retail content 710

and the sample content 711, wherein the sample content 711 has a reproduction quality lower than the retail content 710, and encrypts the retail content 710 and the sample content 711 with different encryption methods having different security levels. The content packaging device then packages the retail content 710 and the sample content 711 as a content package and transmits the content package to content playback devices of different types. As a result, each content playback device can select a content from the transmitted content package according to the hardware performance of the content playback device. Accordingly, a content provider can transmit contents of differing qualities without needing to consider the different reproduction conditions of target content playback devices with the copyrights of the contents being protected.

Sixth Embodiment

The sixth embodiment relates to a content packaging device that is a modification of the content packaging device of the fifth embodiment. The major difference between the two lies in that the content encoding unit 706 in the present embodiment encodes the start of a production to be distributed to generate a sample content and the rest of the distribution subject to generate a main content. The content packaging unit 709 packages the encoded main content and sample content to produce a content package.

FIG. 19 shows constructions of the content packaging

device 700 and content playback devices 801-809.

The content encrypting unit 708 assigns a predetermined grade to the sample content and a grade higher than the predetermined grade to the main content.

5 The content encrypting unit 708 then refers to a table similar to the second correspondence table of the fifth embodiment and encrypts the graded content using an encryption key and an encryption algorithm that are associated with the assigned grade. As stated above, the
10 content packaging unit 709 then packages the encrypted main content and sample content to generate the content package. FIG. 20 shows the content package packaged by the content packaging unit 709 of the present embodiment.

According to the present embodiment, a content
15 package that has a smaller size than a content package in the fifth embodiment can be transmitted via each distribution method and recorded onto a recording medium such as a hard disk or a CD-ROM using smaller storage areas.

20 Although the present invention has been described based on the first to sixth embodiments, these embodiments are only examples by which optimal effects of the invention can be obtained. The embodiments of the present invention therefore can be modified without changing its

essence. The following describes modifications that are considered to be representative.

(a) In the first to fourth embodiments, the purchased-copy recording medium 650 is described as an
5 optical memory disc

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
222

such as a DVD-RAM, though the purchased-copy recording medium 650 may alternatively be a hard disk or a semiconductor memory.

5 (b) The third and the fourth embodiments state that the fee information storage unit 312 is achieved by a hard disk of a personal computer, though the fee information storage unit 312 is not limited to such and may be achieved by a recording medium such as an IC (Integrated Circuit) card.

10 (c) The digital data recording device 500 described in the first to fourth embodiments is described as being achieved by a personal computer used in the home, although the digital data recording device 500 may be installed in a shop such as a record shop.

15 (d) Although the first to fourth embodiments have been described assuming that information distributed by a provider is a music content, the information to be distributed is not limited to a music content. It is naturally possible to distribute an image content, text data, or a combination of an image content and text data.

20 (e) In the fifth embodiment, the retail content 710 and the sample content 711, which are two types of contents having different reproduction qualities, are generated and distributed, although it is possible to generate and distribute three or more types of contents having different reproduction qualities.

25 (f) The procedures described in the first to sixth embodiments such as those shown in the flowchart of FIGs. 10,

12, and 14 may be written as programs in machine language and recorded onto a recording medium to be distributed and sold. Such a recording medium may be an IC card, an optical memory disc, a floppy disc, or the like. By
5 installing the above programs into a general-purpose computer and by having the general-purpose computer execute the installed programs, functions of the digital data recording devices and the digital playback device of an embodiment of the present invention can be achieved.

10 Although the present invention has been fully described by way of examples with reference to accompanying drawings, it is to be noted that various changes and modifications will be apparent to those skilled in the art. Therefore, unless such changes and
15 modifications depart from the scope of the present invention, they should be construed as being included therein.

It is to be understood that, if any prior art publication is referred to herein, such reference does not
20 constitute an admission that the publication forms a part of the common general knowledge in the art, in Australia or any other country.

In the claims which follow and in the preceding description of the invention, except where the context
25 requires otherwise due to express language or necessary

implication, the word "comprise" or variations such as "comprises" or "comprising" is used in an inclusive sense, i.e. to specify the presence of the stated features but not to preclude the presence or addition of further features in various embodiments of the invention.

Industrial Applicability

The recording medium of the present invention is useful for selling contents in a convenient way and at a low price, and therefore has industrial applicability in the music industry and the movie industry that produce and sell such a content.

The digital data recording device and the digital data playback device of the present invention have industrial applicability in the manufacturing industry for a device that records the above content onto a recording medium, a device that reproduces a content recorded on a recording medium, and a device that records a content from a recording medium onto another recording medium.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A system for realizing superdistribution on a distribution route of a product to be sold over the counter, the system comprising:

a first recording medium being movable and sold as the product, wherein the first recording medium stores (a) a content and (b) a superdistribution header and content that is not to be sold over the counter;

10 a user apparatus which has been provided with a key for decrypting the encrypted superdistribution header in advance and when the first recording medium is inserted therein, offers a user to make use of the superdistribution content on a chargeable basis, and if
15 the user accepts the offer, either reproduces the superdistribution content or copies the superdistribution content to another recording medium; and

a charging center which, if the user accepts the offer, charges the user for use of the superdistribution
20 content, via a communication with the user on the Internet.

2. The system of Claim 1,

wherein the first recording medium contains promotion information that promotes the superdistribution content to the user, and

the user apparatus offers the user to make use of
5 the superdistribution content by reproducing the promotion information.

3. The system of Claim 2,

wherein the use of the superdistribution content on
10 a chargeable basis is limited in terms of either (i) the number of times the user can reproduce or copy the superdistribution content or (ii) a time period for which the user can reproduce or copy the superdistribution content, and

15 the user apparatus displays, when displaying the promotion information, amounts to be charged in correspondence with a plurality of either (a) numbers of times the user can reproduce or copy the superdistribution content or (b) time periods.

20

4. The system of Claim 1,

wherein the superdistribution content has been encrypted according to a first cryptosystem, and the header has been encrypted according to a second

cryptosystem and contains a first key information for decrypting the superdistribution content,

wherein the second cryptosystem is characterized by using a second key information for decryption, the second
5 key information being the said key provided to the user apparatus in advance.

5. The system of Claim 4,

wherein the header further includes
10 use limitation information showing whether reproduction of the superdistribution content is permitted, a number of times reproduction is permitted, whether copying of the superdistribution content onto another recording medium is permitted, and a number of
15 times copying is permitted and

fee information which shows, when reproduction of the superdistribution content is permitted, a fee to be charged by the user apparatus for the reproduction of the superdistribution content and when copying of the
20 superdistribution content onto another recording medium is permitted, a fee to be charged by the user apparatus for the copying.

6. The system of Claim 4,

25 wherein the header further includes

use limitation information showing whether reproduction of the superdistribution content is permitted, a period during which reproduction is permitted, whether copying of the superdistribution content onto another medium is permitted, and a period during which copying is permitted and

fee information which shows, when reproduction of the superdistribution content is permitted, a fee to be charged by the user apparatus for the reproduction of the superdistribution content and when copying of the superdistribution content onto another recording medium is permitted, a fee to be charged by the user apparatus for the copying.

7. The system of Claim 1,

wherein the first recording medium is an optical disc that has an inner region and an outer region that are physically separated from each other, the content being recorded on the inner region, and the superdistribution content being recorded on the outer region.

8. A digital data recording device that is used in the system of Claim 1 by a manufacturer of the first recording medium and records digital data including the content onto

the first recording medium, the digital data recording device comprising:

storage means for storing at least one content to be recorded onto the first recording medium;

5 selecting means for selecting a content whose reproduction and/or recording onto another recording medium need to be charged as a superdistribution content;

10 first encrypting means for encrypting the selected superdistribution content according to a first cryptosystem to prevent the superdistribution content from being reproduced and from being recorded onto another recording medium before a fee has been charged;

15 generating means for generating a superdistribution header containing key information to decrypt the encrypted superdistribution content;

20 second encrypting means for encrypting the generated superdistribution header according to a second cryptosystem that ensures higher security than the first cryptosystem and for attaching the encrypted superdistribution header to the encrypted superdistribution content; and

recording means for recording the encrypted superdistribution content and the encrypted superdistribution header onto the first recording medium.

9. The digital data recording device of Claim 8,

wherein the first recording medium is an optical disc that has an inner region and an outer region that are physically separated from each other, the content being
5 recorded on the inner region, and the superdistribution content being recorded on the outer region.

10. The system of Claim 1,

wherein the user apparatus comprises:

10 loading means for loading one of the first recording medium and the second recording medium into the digital data recording device, wherein the second recording medium is for use at home only;

reading means for reading, when the loaded
15 recording medium is the first recording medium, the superdistribution content from the loaded first recording medium;

offering means for offering the user copying of the superdistribution content to the second recording medium;

20 receiving means for receiving an input from the user;

decrypting means for decrypting the read superdistribution content if the received input indicates that the user accepts the offer;

charging means for charging the user a fee if the received input indicates that the user accepts the offer; and

5 recording means for recording, when the loaded recording medium is the second recording medium, the decrypted superdistribution content onto the second recording medium.

11. The system of Claim 10,

10 wherein the user apparatus further comprises:

extracting means for extracting, if the loading means loads the second recording medium, identification information unique to the second recording medium from the second recording medium; and

15 re-encrypting means for re-encrypting the decrypted superdistribution content using the extracted identification information as an encryption key,

20 wherein the recording means records the re-encrypted superdistribution content onto the second recording medium whose identification information has been extracted.

12. The system of Claim 1,

wherein the user apparatus comprises:

loading means for loading the first recording medium into the playback device;

reading means for reading the superdistribution content from the loaded first recording medium;

5 offering means for offering the user either (a) a limited number of reproductions of the superdistribution content or (b) reproduction of the superdistribution content over a limited time period;

10 receiving means for receiving an input from the user;

decrypting means for decrypting the read superdistribution content if the received input indicates that the user accepts the offer;

15 charging means for charging the user a reproduction fee if the received input indicates that the user accepts the offer; and

reproducing means for reproducing the decrypted superdistribution content.

13. A system as claimed in any one of the preceding claims, and substantially as herein described with reference to the accompanying drawings.

5

Dated this 25TH day of August 2004

MATSUSHITA ELECTRIAL INDUSTRIAL CO., LTD

By their Patent Attorneys

GRIFFITH HACK

10 Fellows Institute of Patent and

Trade Mark Attorneys of Australia

FIG. 1A

RETAIL RECORDING MEDIUM (TYPE 1)

Enhanced CD




FIG. 1B




FIG. 2A

RETAIL RECORDING MEDIUM (TYPE 2)

DVD-AUDIO




FIG. 2B

FUNCTIONAL STRUCTURE





FIG. 3







FIG. 5

INFORMATION	CONTENT
PERMITTED NUMBER OF PLAYS	LIMIT ON NUMBER OF TIMES TO PLAY SUPERDISTRIBUTION CONTENT
DIGITAL OUTPUT PERMISSION	WHETHER SUPERDISTRIBUTION CONTENT 10 CAN BE DIGITALLY OUTPUTTED, AND IF SO, LIMIT ON NUMBER OF TIMES FOR DIGITAL OUTPUT
PLAYBACK PERMISSION EXPIRY TIME	TIME WHEN PLAYBACK PERMISSION EXPIRES
PLAYBACK PERMISSION EXPIRY DATE	DATE WHEN PLAYBACK PERMISSION EXPIRES
FEE INFORMATION	PURCHASE PRICE AND PLAYBACK PRICE FOR SUPERDISTRIBUTION CONTENT








FIG. 7B

DECRYPT AND RECORD SUPERDISTRIBUTION CONTENT



TO RAM-READY DVD-AUDIO PLAYER






FIG. 8

9
0
1
2




FIG. 10




FIG. 11





FIG. 12



25






FIG. 14








FIG. 17A

CONTENT GRADE	QUANTIZATION BIT NUMBER	SAMPLING FREQUENCY
GRADE 1	24 bit	96 KHz
GRADE 2	16 bit	44.1 KHz
GRADE 3	16 bit	22.05 KHz

FIG. 17B

CONTENT GRADE	ENCRYPTION KEY BIT NUMBER	ENCRYPTION ALGORITHM
GRADE 1	1024 bit	RSA
GRADE 2	512 bit	RSA
GRADE 3	56 bit	DES

FIG. 17C

HARDWARE GRADE	DECRYPTION KEY BIT NUMBER	DECRYPTION ALGORITHM
GRADE A	1024 bit	RSA
GRADE B	512 bit	RSA
GRADE C	56 bit	DES

FIG. 18




FIG. 19
CONTENT PACKAGING DEVICE




FIG. 20

